

# Ak group CHEMICAL & PETROCHEMICAL

## Material Safety Data Sheet

LAB SULPHONIC ACID

Page 1 of 3

---

### **1. Identification of the product and of the company**

**Product Name: Linear Alkyl Benzene Sulphonic Acid**

**Chemical Name: LABSA, LABS**

**Chemical formula: C<sub>6</sub>H<sub>4</sub>(SO<sub>3</sub>H)(CS<sub>2</sub>)<sub>10</sub>CS<sub>3</sub>**

**Company/undertaking identification:**

**Anatolia Kimya CHEMICALS & PETROCHEMICALS Ind.'s Co.**

### **2. Composition/information on ingredients**

**Linear Alkyl Benzene Sulphonic Acid 97±1% active substance in water**

**INCI name: n-dodecyl Benzene Sulphonic Acid 97%**

**Cas #: 27176-87-0**

### **3. Hazards identification of the product**

**Skin Contact: Possible irritation from prolonged contact.**

**Eye Contact: may cause irritation and discomfort.**

**Inhalation: inhalation of the product may cause upper respiratory irritation.**

**Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting, and delayed diarrhea.**

### **4. First aid measures**

**After Inhalation: If inhaled, remove the fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.**

**After Skin Contact: In case of skin contact, flush with copious amounts of water at least 15 minutes. Remove contaminated clothing and shoes call a physician.**

**After Eye Contact: In case of contact with eyes, immediately flush with copious amounts of water at least 15 minutes. Assure adequate flushing by separating the eye lids by fingers. Call physician.**

**After Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician. Do not induce vomiting.**

### **5. Fire-fighting measures**

**Flash point: 149°C**

**Extinguishing Media: Suitable carbon dioxide, dry chemical powder, or appropriate foam.**

# Ak group CHEMICAL & PETROCHEMICAL

## Material Safety Data Sheet

LAB SULPHONIC ACID

Page 2 of 3

---

**Special Risks:** Emits toxic fumes under fire conditions, flammable liquid. Vapor may travel considerable distance to source of ignition and flash back.

**Special Fire Fighting Procedures:** Wear protective equipment and self contained breathing apparatus.

**Combustion products:** Sulphur dioxide, carbon monoxide.

**Explosion Hazard:** Container explosion may occur under fire condition.

### **6. Accidental Release Measures:**

**Procedure of Personal Precaution:** Avoid contact with skin, eyes and clothing. Wear self contained breathing apparatus, rubber boots, and heavy rubber gloves.

**Methods for Cleaning Up:** Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Ventilate area and wash spill site after material pick up is complete.

### **7. Handling and storage**

**Handling:**

**Directions for Safe Handling:** Do not breathe vapor. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure. Do not drop the drums from height. Take care while loading and unloading of un-palletized consignments.

### **8. Physical and chemical properties**

**Appearance:** Brown, viscous liquid

**Odour:** a penetrating odour

**Molecular weight:** 322-325 g/mol

**Boiling Point:** 315° C

**Melting point:** 10 ° C

**Specific Gravity (water=1):** 1.2

**Solubility in water:** partially soluble

**Active matter:** 97±1%

**Neutralization value:** 180-185

**Free sulfuric acid:** 1.5% max

### **9. Exposure Controls/ Personal Protection:**

**Skin and Body Protection:** uniform, Apron

**Hand Protection:** Rubber Gloves

**Eye Protection:** Safety goggles.

### **10. Toxicological Information:**

**Skin Irritation:** Irritant

**Eye Irritation:** Severe Irritation

**LD50:** 650 mg/kg (rat)

### **11. Ecological Information**

This product is not expected to harm the environment when used properly according to directions.

# Ak group CHEMICAL & PETROCHEMICAL

## Material Safety Data Sheet

LAB SULPHONIC ACID

Page 3 of 3

---

### **12. Transport information:**

Hazard class: 8  
Packing group: III  
Label required: corrosive 8  
UN number: 2586

### **13. Stability and reactivity**

Stability: stable  
Conditions to avoid: Extreme cold or heat, ignition sources, and strong oxidising agents.  
Incompatibilities: Strong oxidizers, acids, and bases  
Hazardous decomposition: irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

### **14. Regulatory information**

R-phrase:  
R 22: Harmful if swallowed.  
R 34: Causes burns.

S-phrase:  
S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical help.  
S 28: After contact with skin, wash immediately with plenty of water.  
S 36/37/39: Wear suitable protective clothing, gloves and eye/face protection.

### **15. Other information**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.